

Kubota Materials Canada Corporation

1. Outline

Address	25 Commerce Road Orillia, Ontario Canada
Number of employees	320
Site area	19.2ha
Establishment day	1968
ISO14001 certification date	05/2006

2. Products

Main products



3. Environmental policy

1. The Kubota Group aspires to create a society where sustainable development is possible on a global scale.
2. The Kubota Group contributes to the conservation of global and local environments through its environmentally friendly operations, products, and technologies.

4. Environmental performance data (FY2014)

Used amount of energy	Crude oil equivalent KL	10,880
Used amount of water	thousand m ³	50


CO₂ emission	t -CO ₂	15,893
--------------------------------	--------------------	--------

Air Pollutant measurement results				
Main smoke and soot generation facilities		No smoke and soot generating facilities		
	Unit	Control content	Control value	Maximum measured
SOx	Total emission control and K-value control: m3N/h	-	-	-
NOx	Total emission control: m3N/h, Concentration control: ppm	-	-	-
Particulate	Concentration control: g/m3N	-	-	-


Amount of discharge water	thousand m ³ /year	50	
Amount of pollutant in discharge water	COD	kg/year	-
	Nitrogen	kg/year	-
	Phosphorus	kg/year	-

Water pollutant measurement results				
	unit	Control value	Maximum measured	
Public water areas	p H	-	-	-
	B O D	mg/L	-	-
	C O D	mg/L	-	-
	Nitrogen	mg/L	-	-
	Phosphorus	mg/L	-	-
	Hexavalent chromium	mg/L	-	-
	Lead	mg/L	-	-
	COD, total emission control	kg/day	-	-
	Nitrogen, total emission control	kg/day	-	-
	Phosphorus, total emission control	kg/day	-	-
Sewerage lines	p H	-	5.5-9.5	7.5
	B O D	mg/L	300	2
	C O D	mg/L	-	-
	S S	mg/L	350	3

Waste discharge	t /year	4,981
Recycling ratio	%	30.4%



Graph.1 energy & CO2 emissions



Graph.2 waste discharge & recycling ratio

5. Environmental Communication

MOE Two reportable Spills - January 2013 a fire and May LPI Discharge
Two offences reported by the City of Orillia July Discharge to Sanitary Line was offspec and then November Unauthorized discharge